

In the Claims:

1. (Canceled)
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Currently Amended) A printed circuit board according to claim ~~1~~ 11 wherein said at least one test port portion is provided on a peripheral edge of said printed circuit board body.
6. (Currently Amended) A printed circuit board according to claim ~~1~~ 11 wherein said at least one test port portion is provided within peripheral edges of said printed circuit board body and detachment of said at least one test port portion from said body results in one or more apertures being provided in said body.
7. (Cancel)
8. (Currently Amended) A printed circuit board according to claim ~~7~~ 11 wherein said obstruction means in said housing includes at least one protruding member.

9. (Currently Amended) A printed circuit board according to claim ~~1~~ 11 wherein said printed circuit board is a multi-layered board and ~~said~~ at least one electrically conductive track is provided on an inner layer thereof.

10. (Canceled)

11. (Currently Amended) A printed circuit board and housing assembly, said assembly comprising:

at least one deattachable test port portion on said printed circuit board having a body;

obstruction means in said housing for obstructing location of the printed circuit board in the housing unless at least a portion of the printed circuit board having at least one test ports provided thereon has first been removed.

12. (Canceled)

13. (Canceled)

14. (New) A printed circuit board according to claim 11 further including at least one electrical component;

at least one electrically conductive track; and

a body with at least one surface provided for the location of said at least one electrical component thereon and said at least one electrically conductive track for electrically connecting said

at least one electrical component in a required arrangement , at least a portion of the body having at least one test port thereon for allowing testing of one or more functions of said printed circuit board, electrical conductive tracks and/or electrical components, and at least one test portion of the body provided with said at least one test port is detachably attached to said printed circuit board body to allow removal therefrom.

15. (New) A printed circuit board according to claim 11 wherein said at least one deattachable test port portion is detachably attached to said body of said printed circuit board by attachment means selected from the group consisting of: frangible portions, clips, perforations and slots.